

XCMG XTF1403 XTF1203 XTF1003 Asphalt synchronous chip seale

Specifications :

Price	?870000
Brand Name	XCMG
Model Number	XTF1003
Place of Origin	XUZHOU
Min.Order Quantity	1
Payment Terms	T/T
Supply Ability	100
Delivery Detail	40DAYS
Packaging Details	RORO

Detail Introduction :

PRODUCT FEATURE

XZJ5251TFCTB (XTF1003) asphalt synchronous chip sealer can realize the synchronous spreading of asphalt and gravel, improve the quality of pavement seal coat; It can be used to spread rubber asphalt, matrix asphalt, modified asphalt and emulsified asphalt; It is applicable to the construction of lower and upper seal coat, wearing course construction for new and old road surface, layer spread method of asphalt pavement, the separate spreading of asphalt and gravel in special case, etc.; It can not only be used for the interlayer treatment and medium maintenance construction of high-grade highway, but also can be used for the construction of rural roads with less traffic.

PARAMETERS

Item

Maximum seal width

Asphalt spraying amount

Gravel quantity

Distributing accuracy

Capacity of asphalt tank

Gravel silo volume

Gravel diameter

Working speed

Chassis model

Engine type

Engine power

Driving mode

Maximum traveling speed

Diesel tank volume ?chassis?

Diesel tank volume ?work device?

Unit

m

Kg/m²

L/m²

%

m³

m³

mm

km/h

-

-

kW/r/min

-

km/h

L

L

Parameter

4

0.2-3.0

3-22

±1.5

6

10

3-25

3-10

HOWO ZZ1257N4347E1?China-??

D10.31-50

228/1900

6×4

80

-

-