

SINOTRUK LHD RHD vacuum Sewer Jetting Truck High Pressure Jet Suction Truck

Specifications :

Place of Origin	Suizhou, China
Payment Terms	30%TT
Supply Ability	500unit Per Month
Packaging Details	Naked Packing, RO-RO, Bulk Ship

Detail Introduction :

[Product Specification](#)

Chassis parameters		
Condition	New condition /4x2, right hand driving or left hand driving	
Main details	Brand	-
	Curb weight(kg)	8900 kg
	Wheelbase(mm)	4800 mm
	Dimensions(mm)	9120*2500*3550mm
	Approach/Departure angle(°)	20/17 °
	Max. driving speed(km/h)	95 km/h
	Clutch	Reinforced diaphragm clutch
	Brakes	Air brakes
	Steering Gear	Power steering, hydraulic steering with power assistance
	Tire	Quantity
	Specifications	11R22.5
Transmission	Manual type, FAST Brand, 8 Forwards and 1 reverse	
Cabin	FOTON AUMARK Model, with Air Condition , for 2~3 persons	
Engine	Brand	Cummins Engine
	Horsepower(HP)	210 HP
	Fuel type	Diesel
	Displacement(ml)	6500 ml
	Emission standard	Euro 2 or Euro 3
Power Supply	PTO,one is for high pressure water pump and another is for spare	
Sewage Suction & Cleaning System		
Water tank	Capacity(cbm)	4.0cbm/4,000 liters
	Tank material	Q235 carbon steel

Thickness	?5	
Safety protection device	1-High water level; 2-Low water level 3-No water	
Sewage tank	Capacity(cbm/liters)	8.0cbm/8,000 liters
	Tank material	Q235 carbon steel
	Thickness(mm)	?5
	Opening of Rear Cover	100% open by hydraulic control
	Working pressure	93% Vacuum
	Sewer Discharging outlet(mm)	100~150
	Tank is front tipping under function of oil cylinder	
Sewage pump	Brand	Italian Brand Jurop
	Max. Working Speed(r/min)	3300
	Max vacuum	93%
	Rate flow rate	2400 L/min
High pressure water pump	Brand	China famous brand
	Type	Triple plunger pump
	Max. Pressure(Bar/Mpa)	?180/18.0
	Rate speed(rpm)	1500
	Rate flow(L/min)	300
High pressure Winch	Length of High pressure hose(m)	?60
	Diameters of High pressure hose(mm)	?19
Water nozzle	10 different size water nozzle for cleaning sand,sludge and dirt	
Lamp	1-Revolving Warning Light on top 2-Upper Arrow Warning light at truck rear 3-Signal light at truck rear	
Main parts	1. Hydraulic controlled suction hose 2. Water-gas separator; 3. Oil-gas separator 4. Four way valve; 5. Safety valve 6. Anti overflow valve 7. Anti overflow warning device 8. Hydraulic control rear cover; 8. Tipping sewage tank body	
Remarks	The color is optional	

[Reference Photos](#)





