

200KVA 50Hz CUMMINS sound proof generator set

Specifications :

Price	400-15000USD
Brand Name	CHINLION
Model Number	CHLCS200S
Place of Origin	CHINA
Min.Order Quantity	1
Payment Terms	T/T?L/C
Supply Ability	100UNITS
Delivery Detail	30DAYS
Packaging Details	WOOD

Detail Introduction :

Genset Power	180.0
Model Type	Soundproofed
Engine Model	QSB7-G4
Alternator Model	UCI274G
Control System Model	PLC-7420
General Data	CHLCS200S
Manufacturer	CHINLION
Prime Power?kVA?	180.0
Standby Power?kVA?	198.0
Prime Power?kW?	144.0
Standby Power?kW?	158.4
Power Factor	0.8
Frequency?Hz?	50.0
Phase	3.0

Wires	5.0
Volatage?V?	380/400/415/440
Fuel Consumption (75%load)?L/h?	34.0
Fuel Consumption (100%load)?L/h?	42.0
Fuel Tank Capacity?L?	480.0
Oil Consumption?L/h?	0.08
Displacement?L?	6.7
Noise Level@1m?dBA?	84.9
Noise Level@7m?dBA?	78.2
Dimensions L*W*H?mm?	3262*1322*1894
Dry Weight?Kg?	2685.0
Type of Fuel	0# or ASTM2
Type of Oil	CF4/SG15W-40
Machine Body	
Model Type	Soundproofed
Length?mm?	3262.0
Width?mm?	1322.0
Height?mm?	1894.0
Protection Level	IP54
Standard Package	?
current	
380V / 400V / 415V / 440V	273/260/250/236
208V/220V / 230V / 240V	/
416V / 440V / 460V / 480V	/
6000V~6600V	/
10000V~13800V	/
Genset Control Cabinet	

Control Model	PLC-7420
Starting Type	Auto/Manual
Screen Dimension?mm?	240*181*41.7
Observation Window and Control Door	?
Protection Level	IP56
Battery Charger	?
Breaker	ABB 400A
Poles	3.0
Breaker Control Mode	Manual
Leak Protection Device	X
Connection Type of External Cable	Connector bar
Cable Line Slot	X
Genset Internal Connection Type	X
Fuel System	
Fuel Tank	
Fuel Tank Capacity?L?	480.0
Injection System	Direct injection
Recommended Fuel Type	0# or ASTM2
Fuel Tank Type	Double-layer
Can be connected to external fuel filling device	?
Fuel Tank Drain	?
Fuel Level Control Panel Display	?
Fuel Level Gauge	?
Auto Refilling Diesel System	X
Oil Pan	X
Fuel Three-way Valve	?
Conditions	

Ambient Temperature ?°C?	40.0
Barometric Pressure ?kPa?	100.0
Relative Humidity	?80%
Altitude ?m?	?1000